

Scout Report sent out  
 Noted in the NID File  
 Location map pinned  
 Approval or Disapproval Letter  
 Date Completed, P. & A, or  
 operations suspended  
 Bin changed on location map  
 Affidavit and Record of A & B  
 Water Shut-Off Test  
 Gas-Oil Ratio Test  
 Well Log Filed

☒  
☒  
☐  
☒  
  
☐  
☐  
☐  
☐  
☐

COMPLETION DATA:

Noted in NID File ☒  
 R Sheet ☒  
 Map Pinned ☒  
 Card Indexed ☒  
 IWR for State or Fee Land ☐

Checked by Chief ☒  
 Copy NID to Field Office ☒  
 Approval Letter ☒  
 Disapproval Letter ☐

COMPLETION DATA:

Date Well Completed 11-14-58  
 OW..... VW..... TA.....  
 GW..... OS..... PA. ☒

Location Inspected  
 Bond released  
 State of Fee Land

LOGS FILED


Driller's Log 11-14-58  
 Electric Logs (No. )

E..... I..... E-I..... GR..... GR-N..... Micro.....  
 Lat..... Mi-L..... Sonic..... Others.....

Induction - Gamma Ray

(SUBMIT IN DUPLICATE)

LAND:



**STATE OF UTAH**  
**OIL & GAS CONSERVATION COMMISSION**

STATE CAPITOL BUILDING  
 SALT LAKE CITY 14, UTAH

Fee and Patented.....☐  
 State .....☐  
 Lease No. ....  
 Public Domain .....☐  
 Lease No. 071572-A  
 Indian .....☐  
 Lease No. ....

## SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill..... Notice of Intention to Change Plans..... Notice of Intention to Redrill or Repair..... Notice of Intention to Pull or Alter Casing..... Notice of Intention to Abandon Well.....	<input checked="" type="checkbox"/>     	Subsequent Report of Water Shut-off..... Subsequent Report of Altering Casing..... Subsequent Report of Redrilling or Repair..... Supplementary Well History.....	     
--	---	--	----------------------

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

No. 2 Jensen A-1 ..... August 6 ..... 1958  
 Well No. .... is located 1980 ft. from {S} line and 660 ft. from {E} line of Sec. 21  
NE 1/4 of the SE 1/4 Sec 21 8-5 16 E Salt Lake  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Pleasant Valley Duchesne Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5454 feet. Est.

A drilling and plugging bond has been filed with .....

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)


Propose to drill with cable tools to total depth of  
3300' ±  
600 ft to 10 3/4" - 32# casing - cemented for surface string  
8 5/8" 28# Intermediate string - Depth Unknown  
7" Completion string cemented at 3300'

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Alamo Corp.  
 Address 1004 Lybbach Mill  
Bank Bldg.  
Lybbach, Texas  
 By Robert Bacece  
 Title Geologist

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.


# ALAMO CORPORATION



Scale: 1" = 1000'

X Corners located

By: ROSS CONSTRUCTION CO.  
Vernal, Utah



PARTY <u>R.D. Ross</u> <u>R. Wilson</u> WEATHER <u>Warm-Clear</u>	SURVEY NO. 2 JENSEN A-1 1980' FSL - 660' FEL SEC. 21 T8S - R16E - Salt Lake Mer. Duchesne County, Utah	DATE <u>9-3-58</u> REFERENCES <u>GLO Plat 1910'</u> FILE <u>Alamo</u>
---	--	--

September 9, 1958

Alamo Corporation  
1004 Lubbock National Bank Building  
Lubbock, Texas

Attention: Robert McCall, Geologist

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. (2) Jensen A-1, which is to be located 1980 feet from the south line and 660 feet from the east line of Section 21, Township 8 South, Range 16 East, S1E4, Duchesne County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

However, said approval is conditional upon a plat being submitted in accordance with Rule C-4, General Rules and Regulations and Rules of Practice and Procedure, Oil and Gas Conservation Commission, State of Utah.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT  
SECRETARY

CBF:ce

cc: Don Russell, Dist. Eng.  
UGCS, Federal Bldg.  
Salt Lake City, Utah

**ALAMO CORPORATION**

LUBBOCK NATIONAL BANK BUILDING

LUBBOCK, TEXAS

September 30, 1958

State of Utah  
Oil and Gas Conservation Commission  
Newhouse Building  
Salt Lake City, Utah

Re: No. 2 Jensen A-1  
Pleasant Valley  
Duchesne, Utah

Gentlemen:

Enclosed are two copies of our Intention to Alter Casing on the captioned well along with two copies of the plat of the location.

We have also changed our proposed depth of this well from 3300' to 3000'.

Sincerely yours,

ALAMO CORPORATION



R. E. Jackson


REJ:pvm

Enclosures

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office \_\_\_\_\_  
Lease No. \_\_\_\_\_  
Unit \_\_\_\_\_



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input checked="" type="checkbox"/>	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 29, 1958

No. 2 Jones A-1

Well No. \_\_\_\_\_ is located 1760 ft. from  $\begin{Bmatrix} N \\ S \end{Bmatrix}$  line and 640 ft. from  $\begin{Bmatrix} E \\ W \end{Bmatrix}$  line of sec. 21

NE/4 of the SE/4 Sec. 21

SS

15E

Salt Lake

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Pleasant Valley

Duchesne

Utah

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

150' - 15 3/8" Casing Cemented with 95 sacks  
Propose to Cement 1920' 8 3/8" Casing For Intermediate String.  
Propose to Set 7" Completion String at 3000'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Alamo Corporation, Agents for H. H. Travis

Address 1004 Lubbock Nat'l Bank Bldg.

Lubbock, Texas

By J. E. Travis

Title Representative

**ALAMO CORPORATION**

LUBBOCK NATIONAL BANK BUILDING

LUBBOCK, TEXAS

November 24, 1958

State of Utah  
Oil and Gas Conservation Commission  
310 Newhouse Building  
Salt Lake City 11, Utah

71-A  
12-1-58

Gentlemen:

Enclosed please find an Induction - Gamma Ray log on the  
No. 2 Jensen A-1 which was plugged and abandoned. Final reports  
have already been sent to your office.

Sincerely yours,


ALAMO CORPORATION



R. E. Jackson

REJ: pvm

Enclosure



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **SLC**  
Lease No. **071572-4**  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 22, 1956

No. 2 Jensen A-1

Well No. \_\_\_\_\_ is located **1900** ft. from **N** line and **660** ft. from **E** line of sec. **21**  
NE/4 of the SE/4 Sec. 21 S. 2. T. 10 N. Salt Lake  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Pleasant Valley** **Buchanan** **Utah**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **3436** ft. **Est.**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**150' - 12 1/8", 400 Casing Cemented with 95 Sacks - Circulated Cement to Surface.**  
**1875' - 8 1/8", 240 Casing Cemented with 223 Sacks.**  
**Propose to Set 7" Completion String at 1900'.**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Alamo Corporation, Agents for H. H. Travis**

Address **1804 Lebbach St. 1st East Bldg.**

**Lebbach, Texas**

By **R. E. Jackson**  
Title **Representative**



LAND OFFICE -----  
LEASE NUMBER -----  
UNIT -----

ALAMO CORPORATION  
LUBBOCK NATIONAL BANK BUILDING  
LUBBOCK, TEXAS

98-58  
12-31-58

December 17, 1958

Mr. C. B. Feight  
State of Utah Oil and Gas Conservation Commission  
310 Newhouse Building  
Salt Lake City 11, Utah

Dear Mr. Feight:

Enclosed is a copy of a letter to Mr. D. F. Russell, District Engineer with the U.S.G.S., and corrected copies of subsequent report on our No. 2 Jensen well in Duchesne County.

Because of errors made in our first reports, we felt that you, too, would be interested in receiving corrected copies.

Sincerely yours,


ALAMO CORPORATION



R. E. Jackson

REJ:pvm

Enclosures



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Salt Lake City**  
Lease No. **071572-A**  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**December 16**, 19 **58**

No. **2 Jensen A-1**

Well No. \_\_\_\_\_ is located **1900** ft. from **N** line and **660** ft. from **E** line of sec. **21**

**22/4 of the 22/4 Sec. 21**  
(1/4 Sec. and Sec. No.)

**06**  
(Twp.)

**12E**  
(Range)

**Salt Lake**  
(Meridian)

**Florence Valley**  
(Field)

**Schuette**  
(County or Subdivision)

**Utah**  
(State or Territory)

The elevation of the derrick floor above sea level is **3434** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**3 3/8", 240 J-55, 824. short collar casing 1871.41' ground mass. cemented with 225 sacks regular cement. Pumped plug with 1,000 psi. and tied off to 300 psi. and shut in while waiting on cement, pressure held throughout waiting on cement, period of 48 hours.**

**Boiled hole dry and hole remained dry while drilling with cable tools to total depth - 3005'.**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company **Alamo Corporation, Agents for H. H. Travis**

Address **1804 Lubbock Nat'l Bank Bldg.**

**Lubbock, Texas**

By **R. E. Jackson**

Title **Representative**



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Salt Lake City**  
Lease No. **071572-A**  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	<b>X</b>
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 16, 1958

No. 2 Junction A-1

Well No. \_\_\_\_\_ is located **1900** ft. from **N** line and **660** ft. from **E** line of sec. **21**

**NE/4 of the SE/4 Sec. 21**

**05**

**10E**

**Salt Lake**

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

**Flaming Valley**

**Duchesne**

**Utah**

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is **3434** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**13 3/8," 40#, 8 Bd. J-55 short collar casing run 150.5' cemented at 163.5, ground level, with 95 sacks regular cement. Waited on cement, 13 3/8 casing, 96 hours. Tested for 30 minutes with rig and pump at 300' against the blow out preventer, with no evidence of leakage. This testing was accomplished after drilling out below the 13 3/8" casing.**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Alamo Corporation, Agents for M. M. Travis**

Address **1004 Lubbock Nat'l Bank Bldg.**

**Lubbock, Texas**

By **R. E. Jackson**

Title **Representative**

December 17, 1958

U. S. Dept. Of The Interior  
Geological Survey  
Oil and Gas Leasing Branch  
457 Federal Building  
Salt Lake City 1, Utah

Attention: Mr. D. F. Russell, District Engineer

Re: Lease Salt Lake 071572-A,  
well 2, NE $\frac{1}{4}$ SE $\frac{1}{4}$  sec. 21, T.  
8 S., R. 16 E., Duchesne  
County, Utah

Gentlemen:

Enclosed please find corrected subsequent reports on 13-3/8" and 8-5/8" casing strings, and a corrected "Log Of Oil Or Gas Well" report on the above captioned well.

We regret the fact that we erroneously reported our surface string set at 1635' in our first "log" report. In proof reading, we failed to see the omission of a decimal. This should have read 163.5', ground level. The amount of pipe used was shown correctly as 158', but the difference between the ground level and cellar level accounts for the difference in the depth at which it was set.

Since we had received approved copies of our subsequent reports on setting both strings of casing, we assumed these were in order, however, in your letter of Dec. 11, 1958, you specified several points which should have been shown on these reports, and we trust the corrected copies are complete and in order. We have also enclosed an additional copy of the Induction-Gamma Ray log as requested.

Please accept our apologies for the inconvenience the mistakes on our first well have caused. Now that we are aware of your requirements, we will be sure, on all future wells, to give you all of the information you need, and we assure you we shall avoid typographical errors in the future.

Sincerely yours,

Alamo Corporation

R. E. Jackson

REJ:de